

**PT. SAMATOR GAS INDUSTRI**

Jl. Margomulyo 44 Kav L-15, Gregas-Asemrowo, Surabaya 60183
T (031) 7499084 - 85 F. 7499085

No/Our Ref. : 14/HC/SP/IV/2020
Tanggal/Date : 11 Mei 2020
Your ref. :
Revisi/Revision :
Hal/Page : 1 dari/from: 1
(Termasuk halaman Ini / Incl. this page)

FORMULIR PENAWARAN / QUOTATION FORM


Kepada Yth / To :

Direktur
RS. Mata Undaan Surabaya

Pengantar / Prologue :

Bersama ini dikirimkan penawaran produk Ethylene Oxide Gas Sterilizer / Abator
Merk Miura, Type EQ-240 Series/AJ-200
dengan perincian sbb:

No.	Jenis Barang Item	Jumlah Quantity	Satuan Unit	Harga Satuan Unit Price	Jumlah Total Price
1	Ethylene Oxide Gas Sterilizer Merk Miura Type EQ-240 Include Aeration and Stretcher	1	unit	Rp 3,460,568,000	Rp 3,460,568,000

**Spesifikasi :**

Model	EQ-240	
Vessel construction	-	Stainless steel, square construction
Door	Type	Single-door
	Structure	Stainless steel, swing opening and closing
Safety device	-	Closed door checking, door handle locking device, locked door checking switch
Inner Chamber dimensions	Width	mm 500
	Height	mm 500
	Depth	mm 903
	Capacity	m3 0.225
Number of cartridges used	-	3
Number of loadable baskets	-	Upper 2, Lower 1
Loading	Effective basket dimensions (WxD)	mm Upper 445x200x420
		Lower 445x240x600
Overall dimensions	Width	mm 800
	Height	mm 1815
	Depth	mm 1110
Assembly mass	kg	305
Volume of water stored	ml	3000
Exhaust gas outlet	A	20
	kW	2.35

Jumlah	Rp 3,460,568,000
PPN 10 %	Rp 346,056,800
Jumlah total harga Penawaran Include PPN 10%	Rp 3,806,624,800

Syarat - syarat & Kondisi Penawaran / Terms and Conditions :

- 1 Harga tersebut di atas sudah termasuk PPN 10%
- 2 Franco : Surabaya
- 3 Harga berlaku sampai 31 Mei 2020
- 4 Penawaran hanya berlaku dari PT. Samator Gas Industri Margomulyo untuk RS Mata Undaan Surabaya

Cara Pembayaran / Terms of payment :

- 1 50% dibayar dimuka
- 2 50% dibayar sebelum barang dikirim

Persetujuan / Approval :

Pelanggan / Customer

Nama : _____

Jabatan : _____



Korim persetujuan pelanggan ditandatangani dan atau distempel lengkap dengan nama asli atau copynya dikembalikan kepada pemasok jika pelanggan menyetujui penawaran.
(Customer sign and or stamps approval column completed with name and send the original or the copy to the supplier if this quotation is approved.)