

Surabaya, 27 Nopember 2019

Nomor : 2349/RSMU/PJK/XI/2019
Lampiran : 1 (satu) Penawaran
Perihal : Pengajuan Realisasi Pembelian Mesin Fotokopi

Yth. Bapak Hargo Wahyuono, S.E., M.Si., Ak., CA
Wadir Administrasi, Umum dan Keuangan
di Tempat

Dengan hormat,

Dengan ini kami mengajukan realisasi pembelian mesin fotokopi di bagian PJK dengan harga negosiasi Rp.23.500.000,- merek Sharp type AR 6020 NV (penawaran harga negosiasi menyusul).

Pembelian tersebut sudah terdapat dalam anggaran investasi sebesar Rp.20.000.000,- yang nominal anggarannya telah kami tukar dengan anggaran mesin *Scan* sebesar Rp.15.000.000,- dan terealisasi pada bulan Agustus 2019. Kami bermaksud menambahkan anggaran *Locker* ke mesin fotokopi senilai Rp.10.000.000,- yang tidak kami realisasikan dikarenakan tidak ada tempat dan masih belum proses perpindahan ruangan yang direncanakan di area penunjang medik, sehingga anggaran mesin fotokopi kami Rp.30.000.000,-.

Dasar realisasi pembelian mesin fotokopi sebagai berikut:

1. Sewa mesin fotokopi saat ini akan habis pada bulan Desember 2019
2. Masih diperlukannya berkas fotokopi untuk kelengkapan klaim BPJS Kesehatan dan Asuransi

Demikian surat pengajuan ini kami sampaikan. Kami harap dapat disetujui untuk direalisasikan pada bulan Desember 2019. Atas kebijaksanaannya, kami sampaikan terima kasih.

Hormat Kami,
Kabag Pengelolaan Jaminan Kesehatan



Rizal Fachruddin Ramdhani

Royal

Mobile Storage Unit
Filing Cabinet
Steel Cupboard
Locker, dll
Custom Mode

SHARP

Digital Copier
Cash Register

DIGI

Retail & Industrial Scale
Animal Scale



SHIMADZU
Analytical Balance

bibliotheca® + 3M
Library Security System



ACROE

Office & School Furniture
Hospital Equipment
Workshop Equipment
Rak Besi Siku



YAMADA
PANEL & WORKSTATION

CHAIRMAN® And savello®
Ergonomic Office Chair

INDACHI®
Ergonomic Office Chair

Surabaya, 15 Nopember 2019
No. 031/AK/MBM/XI/19

Kepada Yth.
Wadir Administrasi Umum & Keuangan
Rumah Sakit Mata Undaan
Jl. Undaan Kulon 19
Surabaya.

U/p : Bapak Hargo Wahyuono, SE.,M.Si.,AK.,CA

Hal : Penawaran Harga Fotocopy Digital

Dengan Hormat,
Bersama ini kami selaku Distributor Fotocopy merk "SHARP" mengajukan penawaran harga dengan rincian sebagai berikut :

> Fotocopy Digital Sharp type AR 6020 NV

- Spesifikasi : - Function : Copy, Print, Scan colour, Fax (Option), Net Working
- Control panel : LCD
- Kecepatan : 20 copy / menit
- Ukuran kertas : Max A3
- Memory : Standard 320 MB
- Resolusi : 600 x 600 dpi
- Zoom : 25 – 400%

Harga Rp. 21.000.000,-
Disc 25% Rp. 5.250.000,-
Sub Total Rp. 15.750.000,-
PPN 10% Rp. 1.575.000,-
Total Rp. 17.325.000,-

Harga Asesoris RSPF (untuk bolak-balik dan dokumen feeder) Rp. 7.000.000,-

Keterangan :

1. Harga sudah termasuk PPN.
2. Kelengkapan : 1 Meja FC, 1 botol Toner 1, 1 Developer, 1 Rim Kertas, 1 Stecker.
3. Garansi service 1 (satu) tahun, kunjungan rutin tiap bulan.
4. System pembayaran : *Cash after delivery*.
5. Harga dan stock tidak terikat sewaktu - waktu dapat berubah tanpa pemberitahuan terlebih dahulu.

Informasi dan keterangan lain dapat menghubungi :

Sdr. Agus Karyanto (081 3301 99222) atau E-mail aguskaryanto88@yahoo.com.

Atas segala perhatian yang diberikan kami ucapkan banyak terima kasih.

Hormat kami,
CV. MBM

Muliono Widjaja
Division Manager


SHARP

Be Original.

AR-6031NV
AR-6026NV
AR-6023NV
AR-6020NV

Digital Multifunction System

A Network-Ready 3-in-1 Document Solution
Built to Boost Your Business



SPECIFICATIONS (tentative)

General

Type	Desktop
Engine speed	A4 (8 1/2" x 11") ¹⁾ : Max. 31/26/23/20 ppm A3 (11" x 17") ²⁾ : Max. 17/15/12 (11)/11 (10) ppm
Control panel display	Custom LCD
Paper size	Max. A3 (11" x 17"), min. A6 ³⁾ (5 1/2" x 8 1/2")
Paper capacity (80 g/m ²)	[AR-6031NV/6026NV] Standard: 1,100 sheets (500-sheet tray x 2 and 100-sheet multi-bypass tray) Maximum: 2,100 sheets (1,100 sheets & optional 500-sheet tray x 2) [AR-6023NV/6020NV] Standard: 350 sheets (250-sheet tray and 100-sheet multi-bypass tray) Maximum: 1,850 sheets (350 sheets & optional 500-sheet tray x 3)
Paper weight	Tray: 55 g/m ² to 105 g/m ² (13 lbs bond to 28 lbs bond) Multi-bypass tray: 55 g/m ² to 200 g/m ² (13 lbs bond to 110 lbs index)
Warm-up time ⁴⁾	AR-6031NV/6026NV: 20 sec. AR-6023NV/6020NV: 25 sec.
Memory	Standard: 320 MB Maximum: 446 MB
Power requirements	Rated local AC voltage ±10%, 50/60 Hz
Power consumption	AR-6031NV/6026NV: Max. 1.45 kW AR-6023NV/6020NV: Max. 1.2 kW
Dimensions (W x D x H) ⁵⁾	AR-6031NV/6026NV: 599 x 612 x 611 mm (23 1/2" x 24 1/4" x 24 1/2") AR-6023NV/6020NV: 599 x 612 x 511 mm (23 1/2" x 24 1/4" x 20 1/2")
Weight (approx.) ⁶⁾	AR-6031NV/6026NV: 37 kg (81.6 lbs) AR-6023NV/6020NV: 29 kg (64.0 lbs)

Copier

Original paper size	Max. A3 (11" x 17")
First copy time ⁷⁾	[AR-6031NV/6026NV] 5.2 seconds [AR-6023NV/6020NV] A4: 6.4 seconds 8 1/2" x 11": 6.5 seconds
Continuous copy	Max. 999 copies
Resolution	600 x 600 dpi
Gradation	256 levels
Zoom range	25% to 400% (50% to 200% using RSPF) in 1% increments
Preset copy ratios ⁸⁾	Metric: 10 ratios (SR/SE), inch: 10 ratios (SR/SE)

Network Printer

Resolution	600 x 600 dpi
Interface	USB 2.0, 10Base-T/100Base-TX
Supported OS ⁹⁾	Windows Server [®] 2008, Windows Server [®] 2008 R2, Windows Server [®] 2012, Windows Server [®] 2012 R2, Windows Server [®] 2016, Windows Vista [®] , Windows [®] 7, Windows [®] 8.1, Windows [®] 10, Mac OS 10.6, 10.7, 10.8, 10.9, 10.10, 10.11, 10.12
Network protocols	TCP/IP
PDL	Standard: SPLC (Sharp Printer Language with Compression) Option ¹⁰⁾ : PCL 6 emulation, PostScript [®] 3 [™] emulation
Available fonts	80 fonts for PCL, 136 fonts for PostScript 3 emulation


Network Colour Scanner

Scan method	Push scan (via control panel) Pull scan (TWAIN-compliant application)
Resolution	Push scan: 75, 100, 150, 200, 300, 400, 600 dpi Pull scan: 75, 100, 150, 200, 300, 400, 600 dpi; 50 dpi to 9,600 dpi via user setting ¹¹⁾
File formats	TIFF, PDF, JPEG [™]
Scanner utility	Sharpdesk [™]
Scan destinations	Scan to e-mail/desktop ¹²⁾ /FTP server/USB drive

- ¹⁾ Long-edge feeding
- ²⁾ Short-edge feeding only
- ³⁾ At rated voltage, 23°C (73.4°F). May vary depending on operating conditions and environment.
- ⁴⁾ Including document cover and adjuster.
- ⁵⁾ Long-edge feeding of A4 (8 1/2" x 11") sheets from 1st paper tray. May vary depending on operating conditions and environment.
- ⁶⁾ Preset copy ratios of 25% and 400% cannot be used with RSPF.
- ⁷⁾ Windows Server requires optional AR-PB10. Mac OS requires optional AR-PB10 and M4-PK10.
- ⁸⁾ PCL requires optional AR-PB10. PostScript 3 requires optional AR-PB10 and M4-PK10.
- ⁹⁾ Resolution will vary depending on the size of the scanned area.
- ¹⁰⁾ Colour/grayscale only.
- ¹¹⁾ Requires optional Sharpdesk License Kit.


- Design and specifications are subject to change without prior notice.
- PCL is a registered trademark of Hewlett-Packard Company. PostScript 3 is either a registered trademark or trademark of Adobe Systems Incorporated in the US and/or other countries. Windows, Windows Server, and Windows Vista are registered trademarks of Microsoft Corporation in the US and/or other countries. Mac is a trademark of Apple Inc., registered in the US and other countries. All other brand names and product names may be trademarks or registered trademarks of their respective owners.
- The ENERGY STAR logo is a certification mark and may only be used to certify products that have been determined to meet the ENERGY STAR programme requirements. ENERGY STAR and the ENERGY STAR mark are registered trademarks owned by the US Environmental Protection Agency. The ENERGY STAR guidelines apply to products only in the US, the EU, Japan, Canada, Australia, New Zealand, and Taiwan.

SYSTEM CONFIGURATION



*1st paper tray must be MX-CS13 N.

Certain options may not be available in some areas.



*Including adjuster
929 mm when multi-bypass tray is extended.

Shown with options.

Distributed by:

SHARP